




Allegro 2 1300 Two door SDL













Austin Allegro means more space

At last! A 2-door car that really gives you the kind of leg room you want in the back. Don't take our word for it. Sit in the back seat of the Austin Allegro 1300 2-door Super de Luxe, and see for yourself. You can really stretch out. Now try the driver's seat. Notice how comfortable it is? All the controls are literally at your fingertips. It has everything. Heater with 2-speed blower, and a rear window heater. 2-speed windscreen wipers and electrical windscreen washers. A cleanly designed fascia panel that lets you see all the instruments at a glance. You don't have



ice and more safety for your money.

The modern design of the Austin Allegro 1300 2-door Super de Luxe combines elegance with spaciousness and safety. Spaciousness? Just take a look at the amount of luggage you can fit into the boot. Safety? The engine, transversally mounted gives you front wheel drive for better traction. The 1300 has Allegro's unique Hydragas suspension, for unmatched road holding. It has a dual braking system, with one backing up the other in case of an emergency. It has burst-proof locks on all the doors, and exceptional all-round visibility. Test drive it. It will be a very easy choice to make.

Specification

Engine:

Four-cylinder, transverse, o.h.v. Bore 70·61 mm., stroke 81·28 mm.; capacity 1275 c.c. †57 b.h.p. at 5,250 rev./min. Compression ratio 8·8:1. Single S.U. HS4 carburetter.

Clutch:

Diaphragm-spring, 0·18 m. diameter.

Gearbox:

Four-speed, synchromesh on forward gears. Ratios: first 3·53:1; second 2·22:1; third 1·43:1; fourth 1·00:1; reverse 3·54:1.

Final Drive:

Front-wheel drive, open shafts with universals. Ratio 3·94:1.

Steering:

Rack and pinion. Safety steering-column.

Road Wheels:

Pressed-steel disc, 145-13 radial-ply tyres.

Brakes:

Hydraulic 0·25 m. diameter discs at front, 0·20 m. drums with leading and trailing shoes at rear.

Suspension:

*Hydragas suspension units inter-connected front to rear.

Electrical:

12-volt, 40-amp. hr. battery. Electric windscreen washer. Two-speed windscreen wipers. Electrically heated rear window. Hazard warning lamps. Cigar lighter. Reversing lamps.

Instruments:

Speedometer. Fuel and water temperature gauges. Warning lamps to show low oil pressure, headlamp high-beam, flashers working, and no charge.

Coachwork:

Four-seater, two-door Super model. Reclining front seats.

Dimensions:

Overall length: 3·85 m.

Overall width: 1·61 m.

Overall height: 1·39 m.

Optional Extras:

Head restraints. Brake servo. Metallic paint finish.

* 'Hydragas' is a registered Trade Mark
† DIN 70020

These specification details do not apply to any particular vehicle which is supplied or offered for sale. The manufacturers reserve the right to vary their specification with or without notice and at such times and in such manner as they think fit. Major as well as minor changes may be involved. Therefore, although every effort is made to ensure the accuracy of the particulars contained in this brochure, neither the Company nor the Distributor or Dealer by whom this publication is issued shall be liable for any inaccuracy in any circumstances whatsoever.

